

Parow City Hall				Hum			Prime			Tierce			Quint			Nominal			Superquint		Double Octave			
	Diameter	Height	Thickness	Freq	Note	Dev	Freq	Note	Dev	Freq	Note	Dev	Freq	Note	Dev	Freq	Note	Dev	Freq	Note	Dev	Freq	Note	Dev
	40.5	29.7	3	490.5	B1	-11	986	B2	-3	1176	D3	1	1514	F#3	39	1980	B3	3	2988	F#4	16	4151	C5	-14
	47	34.5	3.7	435	A1	-19	870	A2	-19	1039	C3	-12	1282	E3	-48	1727.5	A3	-32	2582.5	E4	-36	3566	A4	22
	51	38	4	386	G1	-26	769.5	G2	-32	933.5	Bb2	2	1167	D3	-11	1572.5	G3	4				3259.5	Ab4	-33